ARTWORK SPECIFICATION

Blu-ray Insert Cover

Inlay sizes for 14 mm and 11 mm cases

Supplying your own artwork for Insert Printing? Use this sheet alongside our PSD templates. It shows the finished size of the printed insert that slides under the clear sleeve of your case, where the bleed and safe zone sit, and how to export your file.

CONTENTS

02 14 mm case inlay

03 11 mm case inlay

04 Supplying your file


Drawings are proportional, not to scale. Files that don't follow this specification may be rejected or print incorrectly.

QUICK REFERENCE

	14 mm case	**11 mm case**
Fits	Standard Blu-ray & 4K Ultra HD, 14 mm spine	Slim Blu-ray, 11 mm or 12.5 mm spine
Finished (trim) size	270 × 149 mm	268 × 149 mm
Artwork area, incl. 3 mm bleed	**276 × 155 mm**	**274 × 155 mm**
Back · spine · front	128 · 14 · 128 mm	128.5 · 11 · 128.5 mm
Safe zone	3 mm from trim & folds	3 mm from trim & folds
Template	14MM Blu-ray Insert Cover (PSD)	11MM Blu-ray Insert Cover (PSD)
PDF page	A4 landscape, insert centred	A4 landscape, insert centred

14 mm case inlay

Fits standard Blu-ray and 4K Ultra HD cases with a 14 mm spine. Outside face shown, top edge up.



ARTWORK AREA


276 × 155 mm

Finished 270 × 149 mm plus 3 mm bleed, centred on an A4 landscape page.

KEY


- **Trim** — where the insert is cut
- **Bleed** — run backgrounds out to this edge
- **Safe zone** — keep text and logos inside
- **Fold** — spine edges

CORNER DETAIL



11 mm case inlay

Fits slim Blu-ray cases with an 11 mm or 12.5 mm spine. Outside face shown, top edge up.



ARTWORK AREA


274 × 155 mm

Finished 268 × 149 mm plus 3 mm bleed, centred on an A4 landscape page.

KEY

- **Trim** — where the insert is cut
- **Bleed** — run backgrounds out to this edge
- **Safe zone** — keep text and logos inside
- **Fold** — spine edges

CORNER DETAIL



Supplying your file

Run through these before you upload your artwork.

1 **Start from our template**

Download the PSD for your case size from inkycustoms.com/templates. Trim, bleed, fold and safe-zone guides are already set up.

2 **Save as an A4 PDF**

We only accept PDF files. Keep the template's A4 landscape page with the insert centred: don't crop the PDF down to the insert.

3 **Run artwork into the bleed**

Extend backgrounds and images 3 mm past the trim on every side, so no white edges show after cutting.

4 **Keep text in the safe zone**

Keep titles, logos and small text at least 3 mm inside the trim and both spine folds. Centre spine text between the folds.

5 **Hide the TEMPLATE group**

Use FINAL CHECK to preview the cut, then hide the TEMPLATE group. Leave the PRINT MARKS layer on and don't add your own marks.

6 **Keep it 300 ppi and CMYK**

The template is set to 300 ppi, CMYK (Coated GRACoL 2006). Low-res images print soft.

7 **Outside face only**

Inserts are printed single-sided: supply the outside face only (back, spine and front).

8 **Order and upload**

Add Insert Printing to your basket and attach your PDF at checkout. Questions? Visit inkycustoms.com/contact-us or join our Discord.